### **Event Builder & Level3**

### — Overview for Aces —

Guillelmo Gómez-Ceballos Massachusetts Institute of Technology March 25th, 2004


### Summary

- Introducing the EVB/L3 systems: function, layout, location
- EVB overview
- L3 overview
- Monitoring tools: Ace Control Panel, L3 Display
- Errors and recovery
- Support, documentation, people

#### In three lines:

- Critical systems in the data taking (go home if either EVB or L3 do not work)
- You must have some knowledge (problems, support...), although we know that it is a complicated system
- Ask if you have questions, before being in troubles!!!

# System Overview




#### Event Builder:

Assembles event fragments from FE crates together into a single event piece

#### Level3:

Runs executable (filter) which makes L3 trigger decision


### **EVB Crate Possible Actions**



- 1. SCPU Reset Button
- 2. ScramNet Card Lights
- 3. ScramNet Fibers
- 4. ATM Fibers
- 5. VRBs
- 6. ScramNet Bypass
- 7. Upper Crate Power Switch
- 8. Lower Crate Power Switch
- 9. Crate Reset Button


- Reboot Crate do software reboot from control room
- Reset SCPU push reset button on SCPU
- Reset Crate push reset button on master board (Only if said by expert or popup window)
- Reset VRB push reset button on VRB slot. You can not do it with your hand, you will need a pen!!!
- Powercycle the Crate Turn the power switch off, wait for 30 sec, and turn it on. (Only if said by expert or popup window)

# Running Multiple Hardware Partitions with L3/EVB



- This is NOT true anymore, COT FE crates are in all DAQ EVB crates now
- Silicon and other people working at the same time with L3 is still possible


### L3 subfarm definition



### **Functions:**

- 1. Event fragments come to the Converter node from SCPUs
- 2. Converter combines fragments into one piece (raw event) and sends it to free Processor node in a subfarm
- 3. Processor PC rearranges event data to offline (TryBoss) format and applies L3 trigger. Passed events are written to the Output node
- 4. Output node forwards event to CSL

### Processor node details



Two analysis chains are independent and process different events. (Two boxes on Level3 Display)

#### Reformatter:


- Rearranges events to standard offline format
- Performs a number of data quality checks
- Discards corrupted events
- Generate Reformatter error if event is rejected

#### L3 Filter:

- Runs offline-type reconstruction
- Determines event type. Decides pass/fail
- Failed events are discarded

Events can be discarded by both Reformatter and L3 Filter! Level 3 Filter executable is selected in Run Control GUI

## Gateways and proxies



- Connect RC and EVB/L3. Forward transition messages
- Transport error messages to RC Error Logger
- Transport monitoring information
- Both must be alive for the system to work

## Monitoring Tools


- EVB/L3 Ace Control Panel
  - → Started with **EvbControl**
- L3 Display
  - → On dagmon GUI select L3
  - → setup fer; l3mon
- EVB Display
  - → On dagmon GUI select EVB
- EVB health monitor (NEW!)
  - → Check the fragment size and timing in the EVB crates
  - → /mnt/autofs/cdf/people1/cdfdaq/scripts/evb-health

#### Others...

- Dead Time Display
  - → On dagmon GUI select Rates and Deadtimes
- daqmon
  - → Started with setup fer; daqmon
- Run Control
  - → Started with **setup fer; rc**
- Error Handler
  - Started with Run Control


Note: detailed instructions on EVB/L3 web pages

# RC parameters



- 1. Include one, several or all Level3 subfarms
- 2. Include Hardware Event Builder
- 3. Choose Level3 tag
- 4. And more...


# EVB/L3 Ace Control Panel



- Check status of primary components
- Start, stop proxies and do full cleanup of EVB and L3
- Reset state of any partition (e.g., in case of RC crashes)
- Gives access to EVB Expert GUIs and Reformatter Decoder








- 1. Node name. Color coded *Control* state
- 2. Color coded Analysis Chain state. Two per node
- 3. Number of processed events. (Converter and Output only)
- 4. Event rate for the subfarm. (Converter and Output only)
- 5. Output event rate for the Output node. (Output only)
- 6. Output data rate for the Output node
- 7. Border. Color coded *System* state

Note: To ensure the Display is being properly updated one may reset the window. (E.g., when a node appears magenta but nevertheless processing events.)



#### Control State

 Error (red) - Level3 Errors (Click on the box to see Error messages)

### **Analysis State**

- Input (Cyan) Waiting for input
- Busy (Dark Blue) Chain is busy with event
- Output (Green) Waiting for output
- End (Magenta) Node ended the run
- Old (Gold) Not updated. Probably monitoring failure
- Dead (Red) L3 Filter crashed. All necessary procedures are done automatically at the end of run
- Unpingable (Black) No connection to the node. If a node remains in this state for several minutes it is probably dead

#### Node Hardware State

- Occasional yellow Ok if not for the whole farm
- Permanent red System/HW problem (Disk full, memory, etc.)

### For color map check Level3 Display Help menu

# L3 Partition Monitor of L3 Display


	State/Transition	Phase #/out of #	Time spent
Partition 0:	In transition: End	Collect EoR s <mark>ummary: 2/3</mark>	00:00:13
Partition 1:	Not defined	In state: 1/1	00:00:13
Partition 2:	Not defined	In state: 1/1	00:00:13
Partition 3:	Not defined	In state: 1/1	00:00:13
Partition 4:	Not defined	In state: 1/1	00:00:13
Partition 5:	Not defined	In state: 1/1	00:00:13
Partition 6:	Not defined	In state: 1/1	00:00:13
Partition 7:	Not defined	In state: 1/1	00:00:13

Shows states and transitions of hardware partitions

### Things worth checking

- How many hardware partitions are running with Level3
- If bar State/Transition is yellow Level3 received the RC transition message shown in the box
- If field Time spent is more than 5 min Failure
- If all bars are red Level3 Proxy is dead or L3 display lost connection. Check L3 Proxy from Ace Control Panel Reset/restart L3 Display or restart L3 Proxy depending on result

# Level3 Summary




Shows input output and rejection rates/events

### Things worth checking

- Input count and rate. Compare with RC number
- Reformatter rejection count and rate If higher than threshold  $(\sim 0.1\%)$  decode reformatter error, identify failing component
- Filter rejection count and rate. If close to 100%,- do something (Noisy Level1 trigger?)
- Output count and rate. Compare with CSL rates
- Notice that each Level3 chain sends a "Begin Run" event to the output node at the end of ColdStart transition. Run begins with NON ZERO output event counter

## L3 Display: Node details






### Things worth checking

- Monitoring heartbeat.
- Events pass/fail for Reformatter and L3 Filter.
- Number of input/output errors. (for converters)
- Input/Output data/event rate. One can find the size of the event by dividing data rate to event rate.


To open: click on any node of L3 Display

## Error Logger



Read the error messages in the RC Error Logger to try to identify the problem better

### Deadtime Monitor



Inhibit High voltage inhibit. Check HV monitor

Busy: - VRB is full. Check EvbMon for pending events Cleanup EVB if needed.

L2 readout: Problem between L2 decision crate and Trigger Supervisor. Reboot b0tsi00. Page TSI expert


Readout: The time between FE crate receiving L2 trigger and set DONE signal is too long. Reboot the FE crate which causes the deadtime. Page expert

L1DONE: Silicon trigger problem. Page silicon

L2: Alpha board problem. Not enough processor power. Reboot Alpha board. Remove b0l2dec00 from run. Page L2 expert

TSI: - Interval0 (RC settings) is too big. EVB is too slow. Check EvbMon for pending events. Cleanup EVB if needed

## Dealing with Reformatter Errors




Find relevant FE component with a tool started by green button on Ace Control Panel

- You should be in Active or Idle state to use the tool
- If you can not start the tool restart Ace Control Panel
- Server is not found popup try again, page Level3
- Link is not in use popup Corrupted data can not provide us with correct link number. Change link number to 0 and try again


The reformatter rejection rate could be found on the L3 rate monitor (at bottom, right part of L3 Display)

A tool is also running, RefMon, which calculates the rejection rates over the last 30 seconds; If rejection exceeds some predefined level RC pops up an orange window with instructions for the Aces Check L3 Rate Monitor for reformatter error rate

# Networks, Buffers, Data Flow, Errors




# Level3 monitoring data flow



- Eventserv Accepts and sends monitoring messages
- Event Funnel L3 wrap for Eventserv. Accumulate monitoring messages. Sends them in 4 second intervals

### General Remarks



- If you get an orange popup window with EVB/Level3 problem follow the instructions
- Check RC Error Display for error messages
- Any transition can not take more than 5 minutes. If it takes more it means a problem.
- DONE timeout (Readout deadtime). Problem with FE
- BUSY timeout (Busy deadtime). Problem with TS or EVB or L3 or CSL. (check Magic Numbers)
- Level3 is green CSL problem (or output Switch problem)
- Level3 is gold L3 monitoring problem
- You have to be in START state when cleaning up EVB and Level3 or restarting Proxies
- If you abnormally closed the partition you have to cleanup EVB
- Check white board for information on currently available subfarms

## Things to Keep an Eye on

- L3 Display Color
  - Green (Output State)- problem is downstream. Check if CSL is alive 20Mb/sec is max CSL input capacity
  - Gold (Old) Monitoring problem. Cleanup L3 mon
  - Dark Blue (Busy State) not enough process power (very rare, so far)
- Check if CSL is accepting events (read its monitoring tools)
- Check Rates and Dead time
- Check Reformatter rejection rate
- Look if Level3 proxy is alive
- Look if EVB proxy is alive

### Other minimum knowledge

- Understand general information on Level3 Display
- Be familar with Ace Controls for Level3 and EVB
- Know the location of EVB components
- Understand Deadtimes Busy and Done timeouts
- Know how to deal with Reformatter errors

### **Assistance**

#### Documentation

- Introduction for Aces, CDF Note 5793 please read.
- Manual for experts, CDF Note 6138
- Help pages,
  http://www-cdfonline.fnal.gov/evbl3shift/evbl3shift.html

*Note:* html versions of the notes are available on the help pages as well. *Note:* EVB/L3 help pages are linked from the general Ace help page.

#### Experts list

- Alberto Belloni (pager)
- Arkadiy Bolshov (pager)
- Boris lyutin (pager)
- Nuno Leonardo (pager)
- Jeff Miles (pager)
- Ilya Kravchenko
- Steve Tether
- Guillelmo Gómez-Ceballos

*Note:* Pager and telephone numbers are posted in the Control Room and Ace web page. If pager does not respond (very rare), call other people!!!